


Pass4Cram



Try before you buy

Download a free sample of any of our exam questions and answers

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.



<http://www.pass4cram.com>

Pass4cram-high-pass-rate IT certification exams cram

Exam : A2010-501

Title : Assess: IBM Maximo Asset
Management V7.5 Infrastructure
Implementation

Vendors : IBM

Version : DEMO

NO.1 Regarding the Run Configuration Step screen - which option requires running taskrunner.bat?

- A. configure SMTP host
- B. deploy application files manually later
- C. defer the update of the Maximo database
- D. copy files now, perform the configuration step later

Answer: D

NO.2 Which system property is used to log SQL statement execution time?

- A. mx.db.SQLRunTime
- B. mx.db.fetchResultTime
- C. mx.db.logSQLTimeLimit
- D. rx.db.fetchResultLogLimit

Answer: C

NO.3 What is the recommended method to build a Maximo EAR file?

- A. runthebuiidear.bat from a command prompt
- B. runthebuiidmaximoear.cmd from a command prompt
- C. double-click on buiidear.bat from the IBM\SMP\maximo\deployment directory
- D. right-click on buildmaximoear.cmd from the IBM\SMP\maximo\deployment\default directory and run as administrator

Answer: B

NO.4 The configuration of the IBM Maximo Asset Management v7.5 application server security requires which two files to be configured? (Choose two.)

- A. ibm\SMP\maximo\applications\maximo\META-INF\application.xml
- B. ibm\SMP\maximo\applications\maximo\META-INF\deployment-application.xml
- C. ibm\SMP\maximo\applications\maximo\mboweb\webmodule\WEB-INF\web.xml
- D. ibm\SMP\maximo\applications\maximo\mboejb\ejbmodule\META-INF\ejb-jar.xml
- E. ibm\SMP\maximo\applications\maximo\maximouiweb\webmodule\WEB-INF\web.xml

Answer: C,E

NO.5 A user, administrator, is undertaking the installation of a new IBM Maximo Asset Management V7.5 environment on a Windows 2008 Server. The default installation path will be C:\IBM\SMP. The installation has stopped and the CTGInstallTraceOO.log indicates that the updateDB failed. Where is the Updatedb.log located?

- A. C:\IBM\SMP\logs
- B. C:\IBM\SMP\solutions\logs
- C. C:\IBM\SMP\maximo\tools\maximo\log
- D. C:\IBM\SMP\maximo\applications\maximo\log

Answer: C

NO.6 Users can create and save their own queries and can share queries with other users. What should be done in order to reduce the likelihood of queries negatively impacting performance?

- A. create efficient default queries

- B. periodically truncate the default query table
- C. add an Order By clause to inefficient queries
- D. remove the text search index on columns called by the query

Answer: A

NO.7 When enabling Application Server Security in IBM Maximo Asset Management V7.5, which property value must be set?

- A. mxe.encrypted=true
- B. mxe.encrypted=false
- C. mxe.useAppServerSecurity=1
- D. mxe.useAppServerSecurity=0

Answer: C

NO.8 What should be the determining factor in recommending either IBM WebSphere Application Server or Oracle WebLogic Server for the J2EE environment?

- A. the JDK version and vendor selected for the application environment
- B. the customer's existing J2EE environment and portfolio of J2EE applications
- C. the amount of RAM required by a given J2EE platform for 64-bit applications
- D. the selection of the application database platform and portfolio of database applications

Answer: B

NO.9 Which design principles should be followed when application clustering is intended to address fault tolerance in the environment to some level for user interface (UI) session handling?

- A. The High Availability (HA) management design should include vertical and horizontal clustering. The UI systems should be vertically clustered. The other Java Virtual Machines (JVMs) should be horizontally clustered.
- B. The HA management design should include horizontal clustering with a minimum of 2 systems and half the total number of UI JVM on each system.
- C. The HA management design should have the number of JVMs needed to support the load of the system from a UI perspective as double what is required and be vertically clustered.
- D. The HA management design should have the number of JVMs needed to support the load of the system from a UI perspective and be able to support the UI load with a single JVM removed.

Answer: B

NO.10 What is the correct product install order for IBM Maximo Asset Management (Maximo)?

- A. latest Maximo fix pack, any industry solution, latest fix pack interim fix
- B. latest Maximo fix pack, any industry solution, interim fix for earlier fix pack
- C. latest Maximo fix pack interim fix, any industry solution, latest Maximo fix pack
- D. latest Maximo fix pack interim fix, latest Maximo fix pack, any industry solution

Answer: A